

# SAFETY DATA SHEET

### MS-X Synthetic Blend 15W-40 DEO

### **Section 1. Identification**

**GHS** product identifier

: MS-X Synthetic Blend 15W-40 Diesel Engine Oil

Product code
Other means of identification

: N/A

Product type : Liquid.

Identified uses

: Heavy duty synthetic blend engine oil - Diesel engines.

Supplier/Manufacturer

: Nemco Resources Ltd 25 Midland Street

Winnipeg, Manitoba R3E 3J6

PH 204.788.1030 | FX 204.788.1593 | TF 855.755.6737

EM info@nemco.ca | WEB www.nemco.ca

Emergency telephone number (with hours of operation) : Nemco (Restriction - Business Hours): Mon-Fri 8am-4:30pm 204-788-1030 or Toll free 1-855-755-6737. After hours: http://nemco.ca/msds-safety-information/

### Section 2. Hazards identification

**OSHA/HCS** status

: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

: Not classified.

**GHS** label elements

Signal word : No signal word.

**Hazard statements**: No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Physical hazards not : None known.

otherwise classified

(PHNOC)

www.nemco.ca 1-855-755-6737 **Code:** 0128 **1/9** 



#### MS-X Synthetic Blend 15W-40 DEO

### Section 2. Hazards identification

Health hazards not otherwise classified

: None known.

(HHNOC)

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Chemical name : Lubricating oil.

Other means of identification

: N/A

#### **CAS** number/other identifiers

**CAS number** : Not applicable.

Product code : 0128

Ingredient name	%	CAS number
Distillates (petroleum), solvent-refined heavy paraffinic	≥5 - <10	64741-88-4

### Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

**Eye contact**: If material comes in contact with the eyes, immediately wash the eyes with large

amounts of water for 15 minutes, occasionally lifting the lower and upper lids. Get

medical attention.

**Inhalation** : If person breathes in large amounts of material, move the exposed person to fresh air at

once. If breathing has stopped, perform artificial respiration. Keep the person warm and

at rest. Get medical attention as soon as possible.

**Skin contact**: If the material comes in contact with the skin, wash the contaminated skin with soap and

water promptly. If the material penetrates through clothing, remove the clothing and wash the skin with soap and water promptly. If irritation persists after washing, get

medical attention immediately.

**Ingestion**: If material has been swallowed, do not induce vomiting. Get medical attention

immediately.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following: pain or irritation, watering, redness.
 Inhalation : Adverse symptoms may include the following: respiratory tract irritation, coughing.

**Skin contact**: Adverse symptoms may include the following: irritation, redness.

**Ingestion**: No known significant effects or critical hazards.

www.nemco.ca 1-855-755-6737 **Code:** 0128 **2/9** 



### Section 4. First aid measures

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing

media

: Use water spray to cool fire exposed surfaces and to protect personnel. Foam, dry chemical or water spray (fog) to extinguish fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: Toxic fumes gases or vapors may evolve on burning.

Hazardous thermal decomposition products

: No specific data.

Special protective actions for fire-fighters

: When fighting fires wear full turnout gear and self contained breathing apparatus. Water may cause splattering. Material floats on water.

Special protective equipment for fire-fighters

: Not applicable.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Keep unnecessary and unprotected personnel from entering. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Spill

: Contain with dikes or absorbent to prevent migration to sewers/streams. Take up small spill with dry chemical absorbent; large spills may require pump or vacuum prior to absorbent. May require excavation of severely contaminated soil.

www.nemco.ca 1-855-755-6737 **Code:** 0128 **3/9** 



## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.

including any incompatibilities

Conditions for safe storage, : Do not store above the following temperature: 113°C (235.4°F). Odorous and toxic fumes may form from the decomposition of this product if stored at excessive temperatures for extended periods of time. Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
Distillates (petroleum), hydrotreated heavy paraffinic	US ACGIH 3/2015	-	5	-	-	-	-	-	-	-	[a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 7/2015	-	5	-	-	10	-	-	-	-	[b]
	QC 1/2014	-	5	-	-	10	-	-	-	-	[b]
Residual oils (petroleum), solvent- dewaxed	US ACGIH 3/2015	-	5	-	-	-	-	-	-	-	[b] [b] [a]
	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 7/2015	-	5	-	-	10	-	-	-	-	[b]
	QC 1/2014	_	5	-	_	10	-	_	_	ļ	idi
Distillates (petroleum), solvent- dewaxed heavy paraffinic	US ACGIH 3/2015	-	5	-	-	-	-	-	-	-	[b] [b] [b] [a]
, .	AB 4/2009	_	5	-	-	10	-	-	-	-	[b]
	ON 7/2015	-	5	-	-	10	-	-	-	-	[b]
	QC 1/2014	_	5	-	-	10	-	_	-	-	[b]
Distillates (petroleum), solvent- refined heavy paraffinic	US ACGIH 3/2015	-	5	-	-	-	-	-	-	-	[b] [b] [b] [a]
, ,	AB 4/2009	-	5	-	-	10	-	-	-	-	[b]
	ON 7/2015	_	5	-	_	10	-	_	_	ļ	idi
	QC 1/2014	_	5	-	_	10	-	_	_		[b]
Distillates (petroleum), solvent- refined light paraffinic	US ACGIH 3/2015	-	5	-	-	-	-	-	-	-	[b] [b] [a]
3 4 4 4 4 4 4	AB 4/2009	-	5	-	-	10	-	_	-	-	[b]
	ON 7/2015	_	5	-	-	10	-	_	-	ļ	[b]
	QC 1/2014	_	5	-	_	10	-	_	_	<u> </u>	[b]

Form: [a]Inhalable fraction [b]Mist

Appropriate engineering controls

: Use only with adequate ventilation.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

Code: 0128 www.nemco.ca 1-855-755-6737 4/9



### MS-X Synthetic Blend 15W-40 DEO

## Section 8. Exposure controls/personal protection

Eye/face protection

: Recommended: Splash goggles and a face shield, where splash hazard exists.

Skin protection

Hand protection : 4 - 8 hours (breakthrough time): Nitrile gloves.

**Body protection** : Recommended: Long sleeved coveralls. : Recommended: Impervious boots. Other skin protection

: If ventilation is inadequate, use a NIOSH-certified respirator with an organic vapor Respiratory protection

cartridge and P95 particulate filter.

## Section 9. Physical and chemical properties

**Appearance** 

Physical state : Liquid. Color : Amber. Odor : Mild.

Odor threshold : Not available. На : Not available. : Not available. Freezing point : Not available. **Boiling point** 

: Closed cup: >205°C Flash point **Evaporation rate** : <1 (Butyl acetate = 1)

: Not available. Flammability (solid, gas) Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : <0.13 kPa (<1 mm Hg) (68°F)

Vapor density : Not available. : 0.88 to 0.89 Relative density Solubility in water : Insoluble in water.

Partition coefficient: n-

octanol/water

: Not available.

: >260°C (>500°F) **Auto-ignition temperature Decomposition temperature** : Not available. : Not available. **Viscosity** 

### Section 10. Stability and reactivity

: No specific test data related to reactivity available for this product or its ingredients. Reactivity

**Chemical stability** : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials.

Code: 0128 www.nemco.ca 1-855-755-6737 5/9



### MS-X Synthetic Blend 15W-40 DEO

### Section 10. Stability and reactivity

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

There is no data available.

#### **Irritation/Corrosion**

There is no data available.

#### **Sensitization**

There is no data available.

#### Mutagenicity

There is no data available.

#### Carcinogenicity

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP	ACGIH	EPA	NIOSH
Distillates (petroleum), solvent- refined heavy paraffinic	-	-	-	A4	-	-

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### <u>Specific target organ toxicity (repeated exposure)</u>

There is no data available.

#### **Aspiration hazard**

There is no data available.

Information on the likely

routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

Eye contact
 Inhalation
 Skin contact
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact
 Inhalation
 Adverse symptoms may include the following: pain or irritation, watering, redness.
 Adverse symptoms may include the following: respiratory tract irritation, coughing.

**Skin contact**: Adverse symptoms may include the following: irritation, redness.

**Ingestion**: No known significant effects or critical hazards.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

www.nemco.ca 1-855-755-6737 **Code:** 0128 **6/9** 



## **Section 11. Toxicological information**

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects :

: No known significant effects or critical hazards.

Long term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

**Potential delayed effects**: No known significant effects or critical hazards.

Potential chronic health effects

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

There is no data available.

## **Section 12. Ecological information**

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Distillates (petroleum), solvent- refined heavy paraffinic	3.9 to 6	-	high

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: There is no data available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

www.nemco.ca 1-855-755-6737 **Code:** 0128 **7/9** 



# **Section 14. Transport information**

	TDG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

**AERG**: Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

**Transport in bulk according**: Not available.

to Annex II of MARPOL 73/78 and the IBC Code

# **Section 15. Regulatory information**

#### **Canadian lists**

Canadian NPRI : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

**Canada inventory** : Not determined.

**International lists** 

**National inventory** 

**Australia** : All components are listed or exempted.

China : Not determined. : Not determined. **Europe** : Not determined. Japan : Not determined. Malaysia

**New Zealand** : All components are listed or exempted.

**Philippines** : Not determined. : Not determined. Republic of Korea

**Taiwan** : All components are listed or exempted.

1-855-755-6737 Code: 0128 www.nemco.ca 8/9





### **Section 16. Other information**

**History** 

**Date of issue** : 12/01/2015

Version : 1

Prepared by : KMK Regulatory Services Inc.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

www.nemco.ca 1-855-755-6737 **Code:** 0128 **9/9**