

# SAFETY DATA SHEET

### 1. Identification

Product identifier PowerTrans TO-4 10W

Other means of identification NM0241-031120

**Recommended use**Off-highway transmission lubricant **Recommended restrictions**Not for food, drug, or household use.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Nemco Resources Ltd
25 Midland Street
Winnipeg, MB R3E 3J6

Canada

**Telephone** Phone: 204-788-1030

Fax: 204-788-1593

Toll Free: 855-755-6737 (M-F 8am-4:30pm)

Website www.nemco.ca/msds-safety-information

E-mail info@nemco.ca

Emergency phone number NEMCO: 855-755-6737 (M-F 8am-4:30pm)

**Supplier** See above.

### 2. Hazard identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Suspected of damaging fertility or the unborn child.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves, protective clothing, eye protection and face protection.

**Response** IF exposed or concerned: Get medical attention.

Storage Store locked up.

**Disposal** Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

### 3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	80-100*
Distillates (petroleum), hydrotreated light paraffinic		64742-55-8	1-5*
Distillates (petroleum), solvent-dewaxed heavy paraffin		64742-65-0	1-5*
Petroleum distillates, solvent dewaxed light paraffinic		64742-56-9	1-5*
Phenol, Dodecyl-, Branched		121158-58-5	0.1-1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#34268 Page: 1 of 8 Issue date 08-December-2021

### 4. First-aid measures

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Skin contact Eye contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.

Most important

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of sulphur. Oxides of phosphorus.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters
Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

# 8. Exposure controls/Personal protection

US. ACGIH Threshold Limit Values		Value	Earm
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sci	nedule 1, Table 2)	
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen		s for Chemical Substances, C	Occupational Health and
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	1 mg/m3	Mist.
Canada. Manitoba OELs (Reg. 217/	-		_
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Canada. Ontario OELs. (Control of Components	Exposure to Biological or C Type	hemical Agents) Value	Form
	<del>-</del> •		

#34268 Page: 3 of 8 Issue date 08-December-2021

Components	ntrol of Exposure to Biological or Ch Type	Value	Form	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.	
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.	
Canada. Quebec OELs. (Min Components	istry of Labor - Regulation respectir Type	ng occupational health and s Value	afety) Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	STEL	10 mg/m3	Mist.	
. ,	TWA	5 mg/m3	Mist.	
Canada, Saskatchewan OFI	s (Occupational Health and Safety F	Regulations, 1996, Table 21)		
Components	Type	Value		
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	15 minute	10 mg/m3		
	8 hour	5 mg/m3		
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	15 minute	10 mg/m3		
	8 hour	5 mg/m3		
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	15 minute	10 mg/m3		
,	8 hour	5 mg/m3		
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	15 minute	10 mg/m3		
	8 hour	5 mg/m3		
logical limit values	No biological exposure limits noted for	or the ingredient(s).		
propriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estable	pplicable, use process enclosutain airborne levels below reco	ures, local exhaust ventilatio ommended exposure limits. l	
vidual protection measures, Eye/face protection	such as personal protective equipm Chemical respirator with organic vap		).	
01-1	Impervious gloves. Confirm with reputable supplier first.			
Skin protection Hand protection	1 0 1	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. As required by employer code.		
	Wear appropriate chemical resistant	clothing. Use of an impervious	apron is recommended. As	
Hand protection	Wear appropriate chemical resistant	y be exceeded, use an approved used under the direction of a cound in OSHA's respirator star	ed NIOSH respirator. trained health and safety ndard (29 CFR 1910.134),	

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

# 9. Physical and chemical properties

**Appearance** Viscous Physical state Liquid. **Form** Liquid. Colour Amber

Odour Mild hydrocarbon Not available. **Odour threshold** pН Not available. Not available Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Vapour pressure Not available. Not available. Vapour density

0.867 Relative density

Solubility(ies)

Insoluble Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) **Auto-ignition temperature** 

**Decomposition temperature** 

Not available. Not available.

28.6 - 31.9 cSt @ 40°C **Viscosity** 

Other information

**Explosive properties** Not explosive. **Oxidising properties** Not oxidising

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of sulphur. Oxides of phosphorus.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact May cause stomach distress, nausea or vomiting Ingestion

#34268 Page: 5 of 8 Issue date 08-December-2021 Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** 

Acute toxicity			
Components	Species	Test Results	
, ,	ted heavy paraffinic (CAS 64742-54-7)		
Acute			
Dermal LD50	Dobbit	> 5000 mg/kg 24 Hours FOHA	
LD50	Rabbit	> 5000 mg/kg, 24 Hours, ECHA	
Inhalation LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA	
	Nai	> 5.2 Hig/L, 4 Hours, ECHA	
<i>Oral</i> LD50	Rat	> 5000 mg/kg, ECHA	
	ted light paraffinic (CAS 64742-55-8)	2 3000 Hig/kg, LOTIA	
Acute	led light paramilic (CAS 04742-55-6)		
Dermal			
LD50	Rabbit	> 2000 mg/kg, ECHA	
Inhalation			
LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA	
Oral			
LD50	Rat	> 5000 mg/kg, ECHA	
Distillates (petroleum), solvent-de	ewaxed heavy paraffin (CAS 64742-65-0)		
Acute			
Dermal			
LD50	Rabbit	> 5000 mg/kg, 24 Hours, ECHA	
		> 2000 mg/kg, 24 Hours, ECHA	
Inhalation			
LC50	Rat	2.2 mg/L, 4 Hours, ECHA	
Oral			
LD50	Rat	> 5000 mg/kg, ECHA	
	vaxed light paraffinic (CAS 64742-56-9)		
Acute			
<i>Dermal</i> LD50	Rabbit	> 2000 mg/kg 24 Hours ECHA	
	Rabbit	> 2000 mg/kg, 24 Hours, ECHA	
<i>Inhalation</i> LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA	
Oral	rat	7 J.Z Hig/L, 4 Hodis, LOHA	
LD50	Rat	> 5000 mg/kg, ECHA	
Phenol, Dodecyl-, Branched (CA		ooo mg/kg, _or ii	
Acute	0 121 100 00 0)		
Dermal			
LD50	Rabbit	> 15000 mg/kg	
Oral			
LD50	Rat	2100 mg/kg, ECHA	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irrita	ation.	
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening	Not available.		
value			

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

This product is not expected to cause skin sensitisation. Skin sensitisation

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Contains < 3% (w/w) DMSO-extract See below. Carcinogenicity

**ACGIH Carcinogens** 

Distillates (petroleum), hydrotreated heavy paraffinic

A2 Suspected human carcinogen.

(CAS 64742-54-7)

Distillates (petroleum), hydrotreated light paraffinic (CAS

A2 Suspected human carcinogen.

64742-55-8)

Petroleum distillates, solvent dewaxed light paraffinic

A2 Suspected human carcinogen.

(CAS 64742-56-9)

Canada - Manitoba OELs: carcinogenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Suspected human carcinogen. Suspected human carcinogen.

(CAS 64742-54-7)

Distillates (petroleum), hydrotreated light paraffinic (CAS

64742-55-8)

Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)

Suspected human carcinogen.

Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)

Suspected human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

to humans

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Not available. **Further information** 

## 12. Ecological information

See below **Ecotoxicity** 

Ecotoxicological data

	Species	Test Results
ted heavy paraff	inic (CAS 64742-54-7)	
EC50	Daphnia	1000 mg/L, 48 Hours
ted light paraffin	ic (CAS 64742-55-8)	
EC50	Daphnia	1000 mg/L, 48 Hours
ewaxed heavy pa	araffin (CAS 64742-65-0)	
EC50	Daphnia	1000 mg/L, 48 Hours
vaxed light paraf	finic (CAS 64742-56-9)	
EC50	Daphnia	1000 mg/L, 48 Hours
	EC50  ted light paraffini EC50  ewaxed heavy pa EC50  vaxed light paraf	ted heavy paraffinic (CAS 64742-54-7)  EC50 Daphnia  ted light paraffinic (CAS 64742-55-8)  EC50 Daphnia  ewaxed heavy paraffin (CAS 64742-65-0)  EC50 Daphnia  vaxed light paraffinic (CAS 64742-56-9)

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soil No data available. Mobility in general Not available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations. Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

General

Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

#### Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

### 15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS status Hazardous


International regulations

**Inventory status** 

Country(s) or region Inventory name On inventory (yes/no)\* Canada Domestic Substances List (DSL) Yes Non-Domestic Substances List (NDSL) No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information



08-December-2021 08-December-2021

Version No.

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Disclaimer

**Revision date** 

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Prepared by Dell Tech Laboratories Ltd. Phone: (519) 858-5021









#34268