

SAFETY DATA SHEET

1. Identification

Product identifier PowerTrans TO-4 30
Other means of identification NM0243-031120

Recommended use Off-highway transmission lubricant **Recommended restrictions** Not for food, drug, or household use.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name

Address

Nemco Resources Ltd
25 Midland Street
Winnipeg, MB R3E 3J6

Canada

Telephone Phone: 204-788-1030 Fax: 204-788-1593

Toll Free: 855-755-6737 (M-F 8am-4:30pm)

Website www.nemco.ca/msds-safety-information

E-mail info@nemco.ca

Emergency phone number NEMCO: 855-755-6737 (M-F 8am-4:30pm)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves, protective clothing, eye protection and face protection.

Response IF exposed or concerned: Get medical attention.

Storage Store locked up.

Disposal Dispose of container in accordance with local, regional, national and international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	80-100*
Distillates (petroleum), hydrotreated light paraffinic		64742-55-8	1-5*
Distillates (petroleum), solvent-dewaxed heavy paraffin		64742-65-0	1-5*
Petroleum distillates, solvent dewaxed light paraffinic		64742-56-9	1-5*
Phenol, Dodecyl-, Branched		121158-58-5	0.1-1*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention. Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Skin contact Eye contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical

attention if irritation persists.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Obtain medical attention.

Most important

symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical attention. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Hazardous combustion products

May include and are not limited to: Oxides of carbon. Oxides of sulphur. Oxides of phosphorus.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters
Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes,

streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure controls/Personal protection

Components	Туре	Value	Form
Components Distillator (notroloum)	TWA		
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TVVA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupation	•	•	
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amend		s for Chemical Substances, C	Occupational Health and
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	1 mg/m3	Mist.
Canada. Manitoba OELs (Reg. 217/	-		F
Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
	TWA	5 mg/m3	Inhalable fraction.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)			
solvent dewaxed light	Exposure to Biological or Cl Type	nemical Agents) Value	Form

#34275 Page: 3 of 8 Issue date 09-December-2021 (0243) TFORZ0014, 0034, 0045

Components	itrol of Exposure to Biological or Ch Type	Value	Form
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Canada. Quebec OELs. (Min Components	istry of Labor - Regulation respectir Type	ng occupational health and s Value	afety) Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Canada Saskatchowan OFI	s (Occupational Health and Safety F	•	
Components	туре	Value	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
Distillates (petroleum), solvent-dewaxed heavy paraffin (CAS 64742-65-0)	15 minute	10 mg/m3	
	8 hour	5 mg/m3	
Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)	15 minute	10 mg/m3	
. ,	8 hour	5 mg/m3	
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
ropriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilatior or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
	such as personal protective equipm		
vidual protection measures, Eye/face protection	Chemical respirator with organic vap	our carmuge and full facepiece	•
	Chemical respirator with organic vaporal limpervious gloves. Confirm with representations of the confirm with representation of the confirm with representation of the confirm with representation of the confirmation of the confirma		
Eye/face protection Skin protection		utable supplier first.	
Eye/face protection Skin protection Hand protection	Impervious gloves. Confirm with reputer appropriate chemical resistant	outable supplier first. clothing. Use of an impervious y be exceeded, use an approve d used under the direction of a found in OSHA's respirator star	apron is recommended. As ed NIOSH respirator. trained health and safety edard (29 CFR 1910.134),

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance Viscous Physical state Liquid. **Form** Liquid. Colour Amber

Odour Mild hydrocarbon Not available. **Odour threshold** pН Not available. Not available Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper Not available.

(%)

Vapour pressure Not available. Not available. Vapour density

0.882 Relative density

Solubility(ies)

Insoluble Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

Viscosity

77 - 82 cSt @ 40°C

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not mix

with other chemicals.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon. Oxides of sulphur. Oxides of phosphorus.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact May cause stomach distress, nausea or vomiting Ingestion

#34275 Page: 5 of 8 Issue date 09-December-2021 Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
	ted heavy paraffinic (CAS 64742-54-7)	rest results
Acute	tea nearly paramine (exteres in 12 errs)	
Dermal		
LD50	Rabbit	> 5000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	> 5000 mg/kg, ECHA
Distillates (petroleum), hydrotrea	ted light paraffinic (CAS 64742-55-8)	
Acute		
Dermal	-	
LD50	Rabbit	> 2000 mg/kg, ECHA
Inhalation	D 4	55 // 411 50114
LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA
Oral	D.4	5000
LD50	Rat	> 5000 mg/kg, ECHA
. ,	ewaxed heavy paraffin (CAS 64742-65-0)	
Acute		
<i>Dermal</i> LD50	Rabbit	> 5000 mg/kg, 24 Hours, ECHA
ED30	Nabbit	> 2000 mg/kg, 24 Hours, ECHA
labalatian		> 2000 Hig/kg, 24 Hours, ECHA
<i>Inhalation</i> LC50	Rat	2.2 mg/L, 4 Hours, ECHA
	Nat	2.2 Hig/L, 4 Hours, LOHA
<i>Oral</i> LD50	Rat	> 5000 mg/kg, ECHA
	vaxed light paraffinic (CAS 64742-56-9)	2 3000 Hig/kg, ESTI/K
Acute	vaxed light paramilic (CAS 04742-30-3)	
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA
Inhalation		
LC50	Rat	> 5.2 mg/L, 4 Hours, ECHA
Oral		
LD50	Rat	> 5000 mg/kg, ECHA
Phenol, Dodecyl-, Branched (CA	S 121158-58-5)	
Acute		
Dermal		
LD50	Rabbit	> 15000 mg/kg
Oral		
LD50	Rat	2100 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	

Not available. Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

This product is not expected to cause skin sensitisation. Skin sensitisation

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Contains < 3% (w/w) DMSO-extract See below. Carcinogenicity

ACGIH Carcinogens

Distillates (petroleum), hydrotreated heavy paraffinic

A2 Suspected human carcinogen.

(CAS 64742-54-7)

Distillates (petroleum), hydrotreated light paraffinic (CAS

A2 Suspected human carcinogen.

64742-55-8)

Petroleum distillates, solvent dewaxed light paraffinic

A2 Suspected human carcinogen.

(CAS 64742-56-9)

Canada - Manitoba OELs: carcinogenicity

Distillates (petroleum), hydrotreated heavy paraffinic

Suspected human carcinogen.

(CAS 64742-54-7)

Distillates (petroleum), hydrotreated light paraffinic (CAS

64742-55-8)

Suspected human carcinogen.

Distillates (petroleum), solvent-dewaxed heavy paraffin

(CAS 64742-65-0)

Suspected human carcinogen. Suspected human carcinogen.

Petroleum distillates, solvent dewaxed light paraffinic (CAS 64742-56-9)

IARC Monographs. Overall Evaluation of Carcinogenicity Distillates (petroleum), hydrotreated heavy paraffinic

Volume 33, Supplement 7 - 3 Not classifiable as to carcinogenicity

to humans

Suspected of damaging fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

(CAS 64742-54-7)

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Not available. **Further information**

12. Ecological information

See below **Ecotoxicity**

Ecotoxicological data

Components		Species	Test Results
Distillates (petroleum), hydro	otreated heavy pa	raffinic (CAS 64742-54-7)	
Crustacea	EC50	Daphnia	1000 mg/L, 48 Hours
Distillates (petroleum), hydro	otreated light para	iffinic (CAS 64742-55-8)	
Crustacea	EC50	Daphnia	1000 mg/L, 48 Hours
Distillates (petroleum), solve	ent-dewaxed heav	y paraffin (CAS 64742-65-0)	
Crustacea	EC50	Daphnia	1000 mg/L, 48 Hours
Petroleum distillates, solven	t dewaxed light pa	araffinic (CAS 64742-56-9)	

EC50 Crustacea

1000 mg/L, 48 Hours Daphnia

Persistence and degradability

Bioaccumulative potential

No data is available on the degradability of any ingredients in the mixture.

Mobility in soil No data available. Mobility in general Not available

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations. Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

General

Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS status Hazardous

International regulations

Inventory status

Country(s) or region Inventory name On inventory (yes/no)* Canada Domestic Substances List (DSL) Yes Non-Domestic Substances List (NDSL) No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information



09-December-2021 09-December-2021

Version No.

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Disclaimer The information in the safety data sheet was written by Dell Tech Laboratories Ltd.


(www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Dell Tech Laboratories Ltd. Phone: (519) 858-5021



HEALTH **PERSONAL** Issue date

FLAMMABILITY 0 0 **PHYSICAL HAZARD** X **PROTECTION**



Prepared by

Revision date